

Competitor Cross-reference - Armstrong

Model	Port to Port Length	Flange Size/ Connection Type	Grundfos	Port to Port Length	Flange Size/ Connection Type
Open Systems: Stainless Steel and Bronze Body Pumps					
Astro20B1/2S	5"	1/2" Sweat	UP15-10B5	5"	1/2" Sweat
Astro20B3/4S	5"	3/4" Sweat	UP15-10B7	6-3/8"	3/4" Sweat
Astro20BU	6"	1-1/4" Union	UP15-29SU	5-7/8"	1-1/4" U
Astro25B1/2S	5"	1/2" Sweat	UP15-18B5	5"	1/2" Sweat
Astro25B3/4S	5"	3/4" Sweat	UP15-18B7	6-3/8"	3/4" Sweat
Astro25BU	6"	1-1/4" Union	UPS15-35SUC	5-7/8"	1-1/4" U
Astro30B	6-3/8"	Flange - R	UPS15-55SFC	6-1/2"	Flange
Astro50B	6-3/8"	Flange - R	UPS15-55SFC	6-1/2"	Flange
S25B	6-1/2"	Flange	UPS26-99BFC SPD 2	6-1/2"	Flange
H32B	8-9/16"	Flange - R	UPS43-44BFC	8-1/2"	Flange
Closed Systems: Cast Iron Body Pumps					
Astro30	6-3/8"	Flange-R	UPS15-58FR SPD 1	6-1/2"	Flange - R
			UP15-42FR	6-1/2"	Flange - R
Astro50	6-3/8"	Flange - R	UPS26-99FC	6-1/2"	Flange
S25	6-1/2"	Flange	UPS26-99FC SPD 2	6-1/2"	Flange
H32	8-9/16"	Flange - R	UPS43-44FC	8-1/2"	Flange
S35	8-1/2"	2" Flange - R	UPS50-44F	8-1/2"	2" Flange
Commercial Pumps					
ARMflo E7/E7B	6-3/8"	1-1/4"	UPS26-99FC/BFC	6-1/2"	Flange
ARMflo E8/E8B	6-3/8"	1-1/4"	UPS26-99FC/BFC	6-1/2"	Flange
ARMflo E9/E9B	6-3/8"	1-1/4"	UPS26-116F/BF	6-1/2"	Flange
ARMflo E10/E10B	8-1/2"	1-1/2"	UPS43-44FC/BFC	8-1/2"	Flange
ARMflo E11	8-1/2"	1-1/2"			
ARMflo E12/E12B	6-7/16"	1-1/4"	UPS32-160/2(B)	13-1/2"	1-1/2"
ARMflo E13	8-1/2"	1-1/2"	UP43-70F	8-1/2"	1-1/2"
ARMflo E14/E14B	6-7/16"	1-1/4"	UPS32-160/2(B)	13-1/2"	1-1/2"
ARMflo E15/E15B	8-1/2"	1-1/4"	UPS32-80/2(B)	11"	1-1/2"
ARMflo E16/E16B	8-1/2"	2"	UPS50-44F/BF	8-1/2"	1-1/2"
ARMflo E17/E17B	8-1/2"	1-1/4"	UPS32-160/2(B)	13-1/2"	1-1/2"
ARMflo E18/E18B	8-1/2"	2"			
ARMflo E19/E19B	8-1/2"	1-1/2"	UP43-70F/BF	8-1/2"	1-1/2"
ARMflo E21	8-1/2"	1-1/2"	UP43-110F	8-1/2"	1-1/2"
ARMflo E22/E22B	8-1/2"	1-1/2"	UP43-110F/BF	11-1/2"	1-1/2"
ARMflo E23	8-1/2"	1-1/2"	UP43-110F	8-1/2"	1-1/2"
S 45/45B	10"	2-1/2" to 3"	UPS3-45F/BF	9-7/8"	2" to 3"
S 46/46B	10"	2-1/2" to 3"	UPS3-46F/BF	9-7/8"	2" to 3"
S 55/55B	12"	3"	UPS3-55/57F(BF)	11-7/8"	2" to 3"
S 57/57B	12"	3"	UPS3-55/57F(BF)	11-7/8"	2" to 3"
S 69/69B	14-1/4"	3"	UPS75-69F/BF	14"	2" to 3"
H 51/51B	11-1/2"	1"	UPS32-80/2 (B)	11"	2" to 3"
H 52/52B	11-1/2"	1"	UPS32-80/2 (B)	11"	3/4" to 1-1/2"
H 53/53B	11-1/2"	1-1/2"	UPS40-160/2 (B)	11-1/2"	1-1/2"
H 54/54B	11-1/2"	2"	UPS50-80/2 (B)	11-1/2"	2-1/2"
H 63/63B	13-1/2"	1-1/2"	UPS32-160/2 (B)	13-1/2"	1-1/2"
H 64/64B	13-1/2"	1-1/2"	UPS32-160/2 (B)	13-1/2"	1-1/2"
H 65/65B	13-1/2"	1-1/2"	UPS40-240/2 (B)	13-1/2"	1-1/2"
H 66/66B	14"	2"	UPS50-160/2 (B)	14"	2"
H 67/67B	14"	2"	UPS50-160/2 (B)	14"	2"
H 68/68B	14"	2"	UPS50-240/2 (B)	14"	2"
1050 1B (1/4 HP)/AB	11-1/2"	2"	UPS32-80/2 (B)	11"	3/4" to 1-1/2"
1050 1-1/4B (1/4 HP)/AB	11-1/2"	1"	UPS32-80/2 (B)	11"	3/4" to 1-1/2"
1050 1-1/2B (1/4 HP)/AB	11-1/2"	1-1/2"	UPS32-80/2 (B)	11"	3/4" to 1-1/2"
1050 2B (1/3 HP)/AB	11-1/2"	2"	UPS50-80/4 (B)	11-1/2"	2"
1050 2B (1/2 HP)/AB	11-1/2"	2"	UPS50-80/4 (B)	11-1/2"	2"
1050 2B (3/4 HP)/AB	11-1/2"	2"	UPS50-80/4 (B)	11-1/2"	2"
1060 1-1/2D (1/2 HP)/AB	13-1/2"	1-1/2"	UPS32-160/2 (B)	13-1/2"	1-1/2"
1060 1-1/2D (3/4 HP)/AB	13-1/2"	1-1/2"	UPS32-160/2 (B)	13-1/2"	1-1/2"
1060 1-1/2D (1-1/2HP)/AB	13-1/2"	1-1/2"	UPS40-240/2 (B)	13-1/2"	1-1/2"
1060 2D (3/4 HP)/AB	14"	2"	UPS50-160/2 (B)	14"	2"
1060 2D (1 HP)/AB	14"	2"	UPS50-160/2 (B)	14"	2"
1060 2D (1-1/2 HP)/AB	14"	2"	UPS50-160/2 (B)	14"	2"
1060 2D (2 HP) /AB	14"	2"	UPS50-240/2(B)	14"	2"

Competitor Cross-reference

Pump Type	Speed	Armstrong
UPS 15 - 58FC/BRC	High	ASTRO 30
	Medium	ASTRO 25
	Low	ASTRO 20
UPS 26 - 99FC/BFC	High	E7
	Medium	ASTRO 50, H41
	Low	ASTRO 30
UPS 43 - 44FC/BFC	High	No Equivalent
	Medium	H32
	Low	No Equivalent
UPS 15-35SFC	High	ASTRO 30 2-Speed
	Medium	ASTRO 20BF ASTRO 30 1-Speed
	Low	No Equivalent
UPS 15-35SUC	High	ASTRO25 BU
	Medium	ASTRO 25BU
	Low	No Equivalent
UPS 15-35SUC/TLC	High	ASTRO 25BU-T
	Medium	ASTRO 25BU-T
	Low	No Equivalent
UPS 15-55SFC	High	Astro 30BF
	Medium	Astro 30 3-Speed
	Low	Astro 30 1-Speed, Astro 50 1-Speed
UPS 15-55SUC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent
UPS 15-55SUC/TLC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent

Grundfos Reference Chart

Competitor cross-reference - Taco

Model	Port to Port Length	Flange Size/ Connection Type	Grundfos	Port to Port Length	Flange Size/ Connection Type
Open Systems: Stainless Steel and Bronze Body Pumps					
003-BC	1/2" Sweat	4-13/32"	UP15-10B5	5"	1/2" Sweat
003-B	3/4" Sweat	4-1/4"	UP15-10B7	6-3/8"	3/4" Sweat
003-BC-1	1" Union	6"	UPS15-35SUC SPD 1	5-7/8"	1-1/4" U
005-BF2	Flange - R	6-3/8"	UPS15-35SFC	6-1/2"	Flange
006-BC4	1/2" Sweat	4-13/32"	UP15-18B5	5"	1/2" Sweat
006-B4	3/4" Sweat	4-1/4"	UP15-18B7	6-3/8"	3/4" Sweat
006-BC4-1	1" Union	6"	UP15-29SU	5-7/8"	1-1/4" U
007-BF5	Flange - R	6-3/8"	UPS15-35SFC	6-1/2"	Flange
007-BF5 opt	Flange	6-3/8"	UPS15-35SFC	6-1/2"	Flange
008-BC6	3/4" Sweat	6-3/8"	UP15-42B7	6-3/8"	3/4" Sweat
008-BF6	Flange - R	6-3/8"	UPS15-55SFC SPD 2	6-1/2"	Flange
009-BF5	Flange	6-3/8"	UPS26-99BFC	6-1/2"	Flange
0011-BF4	Flange	6-1/2"	UPS26-99BFC	6-1/2"	Flange
0012-BF4	Flange - R	8-1/2"	UPS43-44BFC	8-1/2"	Flange
0013-BF3	Flange	6-1/2"	UP26-116BF (230 V)	6-1/2"	Flange
0014-BF1	Flange - R	6-1/2"	UP43-75BF	8-1/2"	Flange
Open Systems: Bronze Body Pumps with Integrated Check Valve					
006-BC7-IFC	1/2" Sweat	4-3/8"	UP15-18BUC5	6-1/2"	1/2" Sweat
006-BC7-IFC	3/4" Sweat	4-3/8"	UP15-18BUC7	7-1/2"	3/4" Sweat
Closed Systems: Cast Iron Body Pumps					
005-F2	Flange - R	6-3/8"	UPS15-58FR SPD 2	6-1/2"	Flange - R
			UPS15-42FR SPD 2	6-1/2"	Flange - R
007-F5	Flange - R	6-3/8"	UPS15-58FR	6-1/2"	Flange - R
			UPS15-42FR	6-1/2"	Flange - R
007-F5 opt	Flange	6-3/8"	UPS15-58F	6-1/2"	Flange
			UPS15-42F	6-1/2"	Flange
			UP15-42F	6-1/2"	Flange
008-F6	Flange - R	6-3/8"	UPS15-58FR	6-1/2"	Flange - R
			UPS15-42FR	6-1/2"	Flange - R
			UP15-42FR	6-1/2"	Flange - R
009-F5	Flange	6-3/8"	UP15-100F	6-1/2"	Flange
0011-F4	Flange	6-1/2"	UPS26-99FC	6-1/2"	Flange
0012-F4	Flange - R	8-1/2"	UPS43-44FC	8-1/2"	Flange
0012-F4-1	2" Flange - R	8-1/2"	UPS50-44FC	8-1/2"	2" Flange
0013-F3	Flange	6-1/2"	UP26-116F (230 V)	6-1/2"	Flange
0014-F1	Flange - R	6-1/2"	UPS26-99FC	6-1/2"	Flange
Closed Systems: Cast Iron Body Pumps with Integrated Check Valve					
007-F5-IFC	Flange - R	6-3/8"	UPS15-58FRC SPD 2	6-1/2"	Flange - R
005-IFC	Flange - R	6-3/8"	UPS15-58FRC SPD 1	6-1/2"	Flange - R
007-IFC	Flange - R	6-3/8"	UPS15-58FRC SPD 2	6-1/2"	Flange - R
008-IFC	Flange - R	6-3/8"	UPS15-58FRC SPD 3	6-1/2"	Flange - R
0010-IFC	Flange - R	6-3/8"	UPS15-58FRC SPD 3	6-1/2"	Flange - R
Commercial Pumps					
120	11"	2"	UPS32-40/4	11"	3/4" to 1-1/2"
131	13-5/8"	3"	UP53-45F	10"	2"
133	13-5/8"	3"	UPS53-55/57	11-7/8"	3"
1600	10-1/4"	1-1/2"	UPS32-80/2	11"	1-1/2"
1610	10-1/4"	1-1/2"	UPS32-80/2	11"	1-1/2"
1612	13-1/2"	1-1/2"	UPS32-160/2	13-1/2"	1-1/2"
1614	13-1/2"	1-1/2"	UPS32-160/2	13-1/2"	1-1/2"
1616	14-1/2"	2"	UPS40-240/2	13-1/2"	1-1/2"
1630	13-1/2"	2"	UPS50-80/4	11-1/2"	2"
1632	13-1/2"	2"	UPS50-160/2	14"	2"
1634	13-1/2"	2"	UPS50-160/2	14"	2"
1636	13-1/2"	2"	UPS50-240/2	14"	2"
1638	16-1/2"	2"	UPS50-240/2	14"	2"

Competitor Cross-reference

Pump Type	Speed	Taco
UPS 15 - 58FC/BRC	High	005, 007, 008, 0010-IFC, 00R-MSF1-IFC
	Medium	005, 005-IFC, 007-IFC, 008, 008-IFC, 0010-IFC, 00R-IFC, 00R-MSF1-IFC
	Low	005, 005-IFC, 006, 006-IFC, 00R-MSF1-IFC
UPS 26 - 99FC/BFC	High	0011, 0013-IFC, 0014
	Medium	0011, 0011-IFC, 0014, 0014-IFC
	Low	No Equivalent
UPS 43 - 44FC/BFC	High	0012
	Medium	0010, 0012-IFC
	Low	No Equivalent
UPS 15-35SFC	High	005-BF2, 005-BF2-1 IFC, 007-BF5, 007-BF5-1 IFC
	Medium	No Equivalent
	Low	No Equivalent
UPS 15-35SUC	High	No Equivalent
	Medium	006-BC4-1, 006-B7-IFC
	Low	003-B4-2-IFC
UPS 15-35SUC/TLC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent
UPS 15-55SFC	High	No Equivalent
	Medium	00R-BF6-IFC, 008-BF6, 008-BF6-1 IFC, 008-BC6-IFC,
	Low	No Equivalent
UPS 15-55SUC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent
UPS 15-55SUC/TLC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent

Competitor Cross-reference - Bell & Gossett (ITT)

Model	Port to Port Length	Flange Size/ Connection Type	Grundfos	Port to Port Length	Flange Size/ Connection Type
Open Systems: Stainless Steel and Bronze Body Pumps					
NBF-85/LW	5"	1/2" Sweat	UPS15-10B5	5"	1/2" Sweat
NBF-9U/LW	6-1/8"	1-1/4" Union	UPS15-35SUC SPD2	5-7/8"	1-1/4" U
NBF-10S/LW	5"	1/2" Sweat	UPS15-18B5	5"	1/2" Sweat
NBF-12U/LW	6-1/8"	1-1/4" Union	UPS15-35SUC	5-7/8"	1-1/4" U
NBF-12F/LW	6-3/8"	Flange-R	UPS15-35SFC	6-1/2"	Flange
NBF-18S	5"	1/2" Sweat	UPS15-42B5	5"	1/2" Sweat
NBF-22U	6-1/8"	1-1/4" Union	UPS15-55SUC	5-7/8"	1-1/4" U
NBF-22	6-3/8"	Flange-R	UPS15-55SFC	6-1/2"	Flange
LR-15B	6-3/8"	Flange	UPS15-55SFC SPD2	6-1/2"	Flange
Series HV B	8-1/2"	Flange-R	UPS43-44BFC	8-1/2"	Flange
Series PR B	8-1/2"	Flange-R	UPS15-55SFC	6-1/2"	Flange
PL30B	6-3/8"	Flange	UPS26-99BFC SPD2	6-1/2"	Flange
PL36B	6-1/2"	Flange	UP26-116BF (230 V)	6-1/2"	Flange
Closed Systems: Cast Iron Body Pumps					
NRF-9F/LW	6-3/8"	Flange-R	UPS15-10FR	6-1/2"	Flange - R
			UPS15-58FR SPD 1	6-1/2"	Flange - R
			UPS15-42FR SPD 1	6-1/2"	Flange - R
NRF-22	6-3/8"	Flange-R	UPS15-58FR	6-1/2"	Flange - R
			UPS15-42FR	6-1/2"	Flange - R
			UPS15-42FR	6-1/2"	Flange - R
LR-20BF	6-3/8"	Flange	UPS15-58F	6-1/2"	Flange
			UPS15-42F	6-1/2"	Flange
			UPS15-42F	6-1/2"	Flange
Series HV	8-1/2"	Flange-R	UPS43-44FC	8-1/2"	Flange
Series PR	8-1/2"	Flange-R	UPS26-99FC	6-1/2"	Flange
2"	8-1/2"	2" Flange-R	UPS50-44FC	8-1/2"	2" Flange
PL30	6-3/8"	Flange	UPS26-99FC SPD2	6-1/2"	Flange
PL36	6-3/8"	Flange	UP26-116F (230 V)	6-1/2"	Flange
PL75	8-1/2"	2" Flange	UPS50-44FC	8-1/2"	2" Flange
Commercial Pumps					
2-1/2"	10"	2-1/2"	UPS3-45F	9-7/8"	2", 2-1/2", 3"
LD3	10"	3"	UPS3-45F	9-7/8"	2", 2-1/2", 3"
HD3	10"	3"	UPS3-46F	9-7/8"	2", 2-1/2", 3"
PD-35	12"	3"	UPS3-55/57F	11-7/8"	2", 2-1/2", 3"
PD-37	12"	3"	UPS3-55/57F	11-7/8"	2", 2-1/2", 3"
PD-38	14-1/2"	3"	UPS75-69F	14"	2", 2-1/2", 3"
PD-40	14-1/2"	3"	UPS50-160/2	14"	2"
601	11"	1"	UPS32-80/2	11"	3/4" to 1-1/2"
602	11"	1"	UPS32-80/2	11"	3/4" to 1-1/2"
603	11"	1"	UPS50-80/2	11-1/2"	2"
604	11"	1-1/4"	UPS32-80/2	11"	3/4" to 1-1/2"
609	11-1/2"	1-1/2"	UPS40-160/2	11-1/2"	1-1/2"
610	11-1/2"	2"	UPS50-80/4	11-1/2"	2"
614	13-1/2"	2"	UPS40-240/2	13-1/2"	1-1/2"
615	13-1/2"	1-1/2"	UPS50-160/2	13-1/2"	2"
616	13-1/2"	2"	UPS50-160/2	14"	2"
617	13-1/2"	1-1/2"	UPS40-240/2	14"	1-1/2"
621	13-1/2"	1-1/2"	UPS50-80/4	13-1/2"	1-1/2"
622	13-1/2"	1-1/2"	UPS32-160/2	13-1/2"	1-1/2"
623	13-1/2"	1-1/2"	UPS40-240/2	13-1/2"	1-1/2"
624	14"	2"	UPS50-160/2	14"	2"
625	14"	2"	UPS50-240/2	14"	2"
60-11	11"	1-1/4"	UPS32-80/2	11"	3/4" to 1-1/2"
60-13	11-1/2"	1-1/2"	UPS40-160/2	11-1/2"	1-1/2"
60-14	11-1/2"	2"	UPS50-80/2	11-1/2"	2"
60-15	13-1/2"	1-1/2"	UPS32-160/2	13-1/2"	1-1/2"
60-16	13-1/2"	1-1/2"	UPS32-160/2	13-1/2"	1-1/2"
60-17	13-1/2"	1-1/2"	UPS50-240/2	13-1/2"	1-1/2"
60-19	14"	2"	UPS50-160/2	14"	2"
60-20	14"	2"	UPS50-160/2	14"	2"
60-21	14"	2"	UPS50-240/2	14"	2"

Competitor Cross-reference

Pump Type	Speed	Bell & Gossett (ITT)
UPS 15 - 58FC/BRC	High	NRF-22, LR-20 WR
	Medium	NRF-9F/LW
	Low	No Equivalent
UPS 26 - 99FC/BFC	High	NRF-36 SP-2, NRF-45 SP-2
	Medium	Series 100, PL-30, PR, NRF-36 SP-1, NRF-45 SP1
	Low	LR-15 BWR
UPS 43 - 44FC/BFC	High	HV
	Medium	NRF-33
	Low	No Equivalent
UPS 15-35SFC	High	NBF-12F/LW, SSF-12F/LW
	Medium	No Equivalent
	Low	NBF12U/LW, SSF-12U/LW
UPS 15-35SUC	High	NBF-9U/LW
	Medium	No Equivalent
	Low	No Equivalent
UPS 15-35SUC/TLC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent
UPS 15-55SFC	High	No Equivalent
	Medium	NBF-22, SSF-22
	Low	No Equivalent
UPS 15-55SUC	High	No Equivalent
	Medium	NBF-22U, SSF-22U
	Low	No Equivalent
UPS 15-55SUC/TLC	High	No Equivalent
	Medium	No Equivalent
	Low	No Equivalent

LLCRC001 3/09
Printed in Canada

Subject to alterations without notice