



City of Pompano Beach
Department of Development Services
Building Inspections Division

100 W. Atlantic Blvd Pompano Beach, FL 33060
Phone: 954.786.4669 Fax: 954.786.4677

ROOFING AFFIDAVIT FOR
WINDSTORM LOSS MITIGATION

Permit Number: _____

Jobsite Address: _____

I, _____, the qualifying agent for the company noted below,
HEREBY CERTIFY that the referenced Reroof permit meets one of the following conditions (select only one):

- As per the BORA Formal Interpretation #6 and FBC Existing §706.8, the existing roof has anchors that are no less than 1/8" by 1" steel strap nailed with 3-16D nails and installed in accordance with the previous additions of the South Florida Building Code, which is deemed to comply with the minimum uplift capacity of 500 pounds as specified in the FBC Existing Manual §706.8 for site-built single-family structures.
Roof-to-Wall retrofit enhancements are required as per FBC §706.8(a). Retrofit strapping will be provided by a Licensed GC, BC or RC. See attached building department application for the restrapping.
Roof-to-Wall retrofit enhancements are NOT required as per FBC §706.8(b) beyond a 15 percent increase in the cost of reroofing. See attached cost of restrapping estimate.

Company Name: _____

Qualifying Agent Signature: _____

Agent Printed Name: _____

X _____
Signature of Property Owner or Agent

STATE OF _____
COUNTY OF _____

The foregoing instrument was acknowledged before me, by means of [] physical presence or [] online notarization this ___ day of _____, 20___ by:

X _____
Signature of Qualifier

STATE OF _____
COUNTY OF _____

The foregoing instrument was acknowledged before me, by means of [] physical presence or [] online notarization this ___ day of _____, 20___ by:



(Type/Print Name as property Owner or Agent)
who is Personally Known [] or Produced Identification []
Type of Identification Produced _____

(NOTARY PUBLIC SIGNATURE for Owner or Agent Name)

(Name of Acknowledger Typed, Printed or Stamped)

(Type/Print Name as Qualifier of Contractor)
who is Personally Known [] or Produced Identification []
Type of Identification Produced _____

(NOTARY PUBLIC SIGNATURE for Qualifier)

(Name of Acknowledger Typed, Printed or Stamped)





BROWARD COUNTY BOARD OF RULES AND APPEALS

FBC 8TH EDITION (2023) FORMAL INTERPRETATION (#6)

1 N. University Drive, Suite 3500B
Plantation, Florida 33324

Phone: 954-765-4500
Email: rulesboard@broward.org
www.broward.org/CodeAppeals

2024 Voting Members

Chair Gregg D'Attilio,
Mechanical Contractor

Vice-Chair Ron Burr,
Swimming Pool Contractor

Mr. Stephen Bailey, P.E.,
Electrical Engineer

Mr. John Famularo,
Roofing Contractor

Mrs. Shalanda Giles Nelson,
General Contractor

Mr. Robert A. Kamm, P.E.,
Mechanical Engineer

Mr. Daniel Lavrich, P.E., S.I.,
F.ASCE, F.SEI, Structural Engineer

Mr. Sergio Pellecer,
Fire Service Professional

Mr. Daniel Rourke,
Master Plumber

Mr. John Sims,
Master Electrician

Mr. Dennis A. Ulmer,
Consumer Advocate

Ms. Lynn E. Wolfson,
Disabled Community Representative

Mr. Abbas H. Zackria, CSI,
Architect

2024 Alternate Board Members

Mr. Steven Feller, P.E.,
Mechanical Engineer

Mr. Jeff Falkanger,
Architect

Mr. Alberto Fernandez,
General Contractor

Mr. David Rice, P.E.,
Electrical Engineer

Mr. Robert Taylor,
Fire Service Professional

Mr. James Terry,
Master Plumber

Mr. David Tringo,
Master Electrician


Mr. Derek A. Wassink, P.E., R.A., S.I.,
S.T.S.2., Structural Engineer

VACANT,
Roofing Contractor

Board Attorney
Charles M. Kramer, Esq.

Board Administrative Director
Dr. Ana Barbosa

— Established 1971 —

DATE: October 12, 2023
TO: All Building Officials
FROM: Dr. Ana Barbosa, Administrative Director 
SUBJECT: Retrofits required pursuant to Florida Building Code Existing Building Section 706.8

At its regularly scheduled meeting on October 12, 2023, the Broward County Board of Rules and Appeals approved that anchors no less than 1/8" by 1" steel strap nailed with 3- 16D nails installed in accordance with previous additions of the South Florida Building Code shall be deemed to comply with the minimum uplift capacity of 500 pounds as specified in the Florida Building Code Existing Building Manual Section 706.8 for roof to wall connections for site-built single-family residential structures.

EFFECTIVE DATE: May 9, 2014
EFFECTIVE DATE: December 31, 2023

*** PLEASE POST AT YOUR PERMIT COUNTER ***

Page 1 of 1 F.I. #6